

# FICHA TÉCNICA



- MODELO ..... PXG-SW18-3C
- QUANT. DE LEDS ..... 18W
- LÚMENS ..... 1440lm
- IRC ..... 80
- FATOR POTÊNCIA ..... >0.6
- TEMP. DA LUZ ..... 3000K | 4000K | 6500K
- MEDIDAS ..... 21x21 cm
- MATERIAL ..... PLÁSTICO
- TENSÃO ..... BIVOLT



## PLAFON DE LED RECUADO SOBREPOR LINHA PXG



**120°**



**IP45**



**25.000H**

# FICHA TÉCNICA



- MODELO ..... PXG-SW25-3C
- QUANT. DE LEDS ..... 25W
- LÚMENS ..... 2000lm
- IRC ..... 80
- FATOR POTÊNCIA ..... >0.6
- TEMP. DA LUZ ..... 3000K | 4000K | 6500K
- MEDIDAS ..... 28,2x28,2 cm
- MATERIAL ..... PLÁSTICO
- TENSÃO ..... BIVOLT



## PLAFON DE LED RECUADO SOBREPOR LINHA PXG



**120°**



**IP45**



**25.000H**

# FICHA TÉCNICA



- MODELO ..... PXG-SW40-3C
- QUANT. DE LEDS ..... 40W
- LÚMENS ..... 3200lm
- IRC ..... 80
- FATOR POTÊNCIA ..... >0.6
- TEMP. DA LUZ ..... 3000K | 4000K | 6500K
- MEDIDAS ..... 40x40 cm
- MATERIAL ..... PLÁSTICO
- TENSÃO ..... BIVOLT



## PLAFON DE LED RECUADO SOBREPOR LINHA PXG



**120°**



**IP45**



**25.000H**